




天津亿利通工贸有限公司

TianJin Reliance Steel Pipe Co., Ltd

天津海诚信进出口贸易有限公司

Reliance Metal Resource Co., Ltd



工厂地址: 天津市静海县蔡公庄镇工业区

办公地址: 天津市南开区海泰信息广场C座, #909

Factory: Caigongzhuang Industry District, Tianjin, China.

Office: Hi-Tech Information Square, Building C, #909, Tianjin, China.

电话 Tel: +86-022-5951-8966

<http://tjylt.en.alibaba.com> www.reliancesteel.cn

天津亿利通工贸有限公司

TianJin Reliance Steel Pipe Co., Ltd

天津海诚信进出口贸易有限公司

Reliance Metal Resource Co., Ltd

>> 雄心壮志 再创辉煌

WITH LOFTY IDEAL TO CREATE GLORY,
COMPOSE NEW MOVEMENT OF OFFICE WORKING

目录 CONTENT

P1 企业简介 ENTERPRISE INTRODUCTION

P3 企业资质 ENTERPRISE QUALIFICATION

P5 产品展示 PRODUCTS DISPLAY

P12 客户合影 MEET OUR PARTNERS

诚信为本 同鼎天下

CAST WITH HEART, THRIVE WITHOUT LIMITS

企业简介

Enterprise introduction

Reliance Metal Resource Co.,Ltd was founded in 2004, and located in Caigongzhuang, Jinhai country, Tianjin, China, covers an area of 60000 square meters.

天津海诚信进出口贸易有限公司成立于2004年，坐落于中国天津静海蔡公庄工业园区，占地面积60000余平方米。

We manufacture the main products of Round/Square/Rectangular Welded Steel Pipe, Galvanized/Pre-galvanized pipe and Spiral steel pipe, widely used for greenhouse, scaffold, gas/oil/fluid transportation and structure building. Through the 10 years of unremitting efforts and development, we have the annual steel pipe production capacity of 360,000 metric tons per year, we have passed the ISO9000:2008, and the certificate of COC/BV/SGS. Now our products have the good market in Africa, Southeast Asia and the Middle East.

我公司主要生产圆形/方形/矩形焊管，热镀锌/预镀锌管，以及螺旋管，公司产品广泛应用于大棚，脚手架，石油/天然气/流体运输和建筑结构等。经过10年的不懈努力和发展，年产钢管360000吨，通过ISO9001:2008认证，COC/BV/SGS等各类第三方检测。产品远销非洲，东南亚以及中东等地区。

Our objective is to ensure that our customers receive the products of good quality at competitive prices, together with excellent service. So we sincerely looking forward to built the long-term cooperation with you.

我们的宗旨是确保客户以最优惠的价格收到最优质的产品，并享受最极致的服务。我们真诚期待与您建立长期稳定的合作关系。

公司基本信息 Company General Information

公司性质:工贸一体 成立于:2004

付款方式:30%订金，发货前付清全款

注册资金:20 million

员工人数:300+

业务信息 Business Activity

质量体制:ISO9001:2008 生产线:7条

供货能力:360,000 吨 年营业额: 14亿

主营产品:焊管，方矩管，螺旋管，镀锌管，镀锌带管，无缝管等。

应用领域:绿色大棚用管，脚手架管，陆运作业，电能站，建筑用管，室友，天然气，液用管道，海洋作业用管，穿线管等等。

可执行标准:GB/T1387-1985; GB/T13793-1992; GB/T3091-2001; GB/T9711.1-1997; EN10217; EN10219; ASTM A53; API SPEC 5L; API SPEC 5CT, ect.

联系人:李廷武 职务:销售经理

地址:海泰信息广场C座909

手机#:(86)-130-1220-1066

座机#:(86)-022-5951-8966

邮箱:admin@reliancesteel.cn

网址:http://www.reliancesteel.cn

省市:中国，天津市，南开区

Company General Information

Type of Company:Manufacturer & Trading Company Founded:2004

Payment Term:T/T; L/C; D/A; D/P; Western Union; Money Gram

Registration Capital:20 million

Total Employee:300+

Business Activity

Quality Management:ISO9001:2008 Production Line:7

Supply Ability:360,000 Tons Annual Revenue:23 million dollars

Top Sales Products:Welded Steel pipe, Square and Rectangular Steel Pipe, Spiral Steel Pipes, Galvanized and Pre-Galvanized Steel pipe, Seamless Steel Pipe.

Application:Greenhouse pipe, Scaffolding Pipes, Transportation of Land; Power Station; Construction; Petroleum & Gas & Water Pipeline; Ocean platform; Conduit Pipe; etc.

Executable Standard:GB/T1387-1985; GB/T13793-1992; GB/T3091-2001; GB/T9711.1-1997; EN10217; EN10219; ASTM A53; API SPEC 5L; API SPEC 5CT, ect.

Contact Details

Contact Person:Tivon Position:Sales manager

Address:(Street & No): Hi-Tech Information Square, C909

Phone #:(86)-130-1220-1066






Office #:(86)-022-59518966

Mail:admin@reliancesteel.cn

Website:http://www.reliancemetalresource.com

City & Province:TianJin, China, 066009

The good faith for this
企业荣誉



焊管 Welded Steel Pipe



DN	OD(mm)	WT (mm)	DN	OD(mm)	WT (mm)
1/2"	21.3	1-2.75		121	2.5-7.0
3/4"	26.7	1.7-3.25		127	2.75-11.0
1"	33.4	1.9-4.0		133	3.25-8.0
1-1/4"	42.2	2.0-4.0	5"	139.7	2.5-10.0
1-1/2"	48.3	2.0-7.0		152	3.25-7.5
	57	2.3-5.0		159	2.5-10.0
2"	60.3	2.0-7.0		165	2.75-7.0
2-1/2"	73	2.5-7.0	6"	168.3	2.75-12
	76.1	2.5-7.0		177.8	2.75-12
3"	88.9	2.8-8.0		194	2.75-12
	98	2.5-4.5		203	3.0-12
3-1/2"	101.6	2.5-9.0	8"	219	2.75-12
	108	2.8-9.0		244.5	4.0-12
4"	114.3	2.5-9.0	10"	273.1	4.0-12




Square Steel Pipe					
OD (mm)	WT (mm)	OD (mm)	WT (mm)	OD (mm)	WT (mm)
20 * 20	1.0 - 2.0	80 * 80	1.5 - 6.0	180 * 180	2.5 - 15.0
25 * 25	1.0 - 3.0	90 * 90	2.0 - 6.0	200 * 200	3.0 - 15.0
30 * 30	1.2 - 3.0	100 * 100	1.5 - 13.0	220 * 220	3.5 - 12.75
40 * 40	1.2 - 5.0	120 * 120	2.5 - 15.0	250 * 250	4.5 - 12.75
50 * 50	1.2 - 6.0	130 * 130	2.5 - 15.0	300 * 300	4.0 - 12.75
60 * 60	1.3 - 6.0	140 * 140	2.5 - 15.0	350 * 350	6.0 - 12.75
70 * 70	1.3 - 6.0	150 * 150	2.5 - 15.0	400 * 400	6.0 - 12.75
75 * 75	1.5 - 6.0	160 * 160	2.5 - 15.0	450 * 450	6.0 - 12.76



Rectangular Steel Pipe					
OD (mm)	WT (mm)	OD (mm)	WT (mm)	OD (mm)	WT (mm)
20 * 30	1.0 - 3.0	50 * 100	1.3 - 6.0	100 * 200	2.5 - 10
20 * 40	1.0 - 3.0	50 * 120	1.3 - 6.0	100 * 250	2.5 - 10
25 * 40	1.2 - 3.0	60 * 80	1.3 - 6.0	100 * 300	2.5 - 10
25 * 50	1.2 - 3.0	60 * 90	1.3 - 6.0	100 * 400	2.5 - 10
30 * 40	1.2 - 3.0	60 * 100	1.3 - 6.0	150 * 200	2.5 - 10
30 * 50	1.2 - 3.0	60 * 120	1.3 - 6.0	150 * 250	3.0 - 15
30 * 60	1.2 - 5.0	75 * 125	1.3 - 6.0	150 * 300	3.0 - 15
40 * 50	1.2 - 5.0	80 * 100	1.3 - 6.0	200 * 300	4.0 - 15
40 * 60	1.2 - 5.0	80 * 120	1.5 - 8.0	200 * 400	4.0 - 20
40 * 80	1.2 - 5.0	80 * 140	2.5 - 8.0	300 * 400	5.0 - 20
40 * 100	1.2 - 5.0	80 * 160	2.5 - 8.0	300 * 500	6.0 - 20
50 * 80	1.3 - 6.0	100 * 150	2.5 - 8.0	400 * 600	6.0 - 20



镀锌管 Galvanized Steel Pipe



Galvanized Steel Pipe					
DN	OD (mm)	WT	DN	OD (mm)	WT
1/2"	21.3	1-2.75		121	2.5-7.0
3/4"	26.7	1.7-3.25		127	2.75-11.0
1"	33.4	1.9-4.0		133	3.25-8.0
1-1/4"	42.2	2.0-4.0	5"	139.7	2.5-10.0
1-1/2"	48.3	2.0-7.0		152	3.25-7.5
	57	2.3-5.0		159	2.5-10.0
2"	60.3	2.0-7.0		165	2.75-7.0
2-1/2"	73	2.5-7.0	6"	168.3	2.75-12
	76.1	2.5-7.0		177.8	2.75-12
3"	88.9	2.8-8.0		194	2.75-12
	98	2.5-4.5		203	3.0-12
3-1/2"	101.6	2.5-9.0	8"	219	2.75-12
	108	2.8-9.0		244.5	4.0-12
4"	114.3	2.5-9.0	10"	273.1	4.0-12

Square Galvanized Steel Pipe					
OD (mm)	WT (mm)	OD (mm)	WT (mm)	OD (mm)	WT (mm)
20 * 20	1.0 - 2.0	80 * 80	1.5 - 6.0	180 * 180	2.5 - 15.0
25 * 25	1.0 - 3.0	90 * 90	2.0 - 6.0	200 * 200	3.0 - 15.0
30 * 30	1.2 - 3.0	100 * 100	1.5 - 13.0	220 * 220	3.5 - 12.75
40 * 40	1.2 - 5.0	120 * 120	2.5 - 15.0	250 * 250	4.5 - 12.75
50 * 50	1.2 - 6.0	130 * 130	2.5 - 15.0	300 * 300	4.0 - 12.75
60 * 60	1.3 - 6.0	140 * 140	2.5 - 15.0	350 * 350	6.0 - 12.75
70 * 70	1.3 - 6.0	150 * 150	2.5 - 15.0	400 * 400	6.0 - 12.75
75 * 75	1.5 - 6.0	160 * 160	2.5 - 15.0	450 * 450	6.0 - 12.76
Rectangular Galvanized Steel Pipe					
OD (mm)	WT (mm)	OD (mm)	WT (mm)	OD (mm)	WT (mm)
20 * 30	1.0 - 3.0	50 * 90	1.3 - 6.0	100 * 200	2.5 - 10
20 * 40	1.0 - 3.0	50 * 100	1.3 - 6.0	100 * 250	2.5 - 10
25 * 40	1.2 - 3.0	50 * 120	1.3 - 6.0	100 * 300	2.5 - 10
25 * 50	1.2 - 3.0	60 * 80	1.3 - 6.0	100 * 400	2.5 - 10
30 * 40	1.2 - 3.0	60 * 90	1.3 - 6.0	150 * 200	2.5 - 10
30 * 50	1.2 - 3.0	60 * 100	1.3 - 6.0	150 * 250	3.0 - 15
30 * 60	1.2 - 5.0	60 * 120	1.3 - 6.0	150 * 300	3.0 - 15
40 * 50	1.2 - 5.0	75 * 125	1.3 - 6.0	200 * 300	4.0 - 15
40 * 60	1.2 - 5.0	80 * 100	1.3 - 6.0	200 * 400	4.0 - 20
40 * 80	1.2 - 5.0	80 * 120	1.5 - 8.0	300 * 400	5.0 - 20
40 * 100	1.2 - 5.0	80 * 140	2.5 - 8.0	300 * 500	6.0 - 20
50 * 70	1.3 - 6.0	80 * 160	2.5 - 8.0	400 * 600	6.0 - 20
50 * 80	1.3 - 6.0	100 * 150	2.5 - 8.0	600 * 800	6.0 - 20







镀锌带管 Pre-galvanized Steel Pipe



Pre-galvanized Steel Pipe			
OD (mm)	WT (mm)	OD (mm)	WT (mm)
20	0.8-2.0	75	1.1-2.2
25	0.8-2.0	88	1.0-2.5
32	0.8-2.0	114	1.0-2.5
40	0.8-2.2	140	1.0-2.5
47	1.0-2.2	165	1.0-2.5
59	1.0-2.2	219	1.0-2.5

Pre-galvanized Square Steel Pipe			
OD (mm)	WT (mm)	OD (mm)	WT (mm)
20*20	0.9-2.0	60*60	1.0-2.5
25*25	1.1-2.0	80*80	1.0-2.5
30*30	1.2-2.2	100*100	1.2-2.5
40*40	0.8-2.0	150*150	1.2-2.5
50*50	0.8-2.0		



Pre-galvanized Rectangular Steel Pipe			
OD (mm)	WT (mm)	OD (mm)	WT (mm)
20*30	1.0-2.0	30*50	0.8-2.0
20*40	1.0-2.0	40*60	1.0-2.5
25*50	0.8-2.0	40*80	1.0-2.5
25*40	0.8-2.0	50*100	1.0-2.5
30*40	0.8-2.2		

螺旋焊管 Spiral Submerged Welded Steel Pip



Spiral Steel Pipes			
OD (mm)	WT (mm)	OD (mm)	WT (mm)
219	4-8	820	6-13
273	4-8	920	6-13
325	4-8	1020	8-16
377	4-8	1220	8-16
426	4-12	1420	8-16
478	4-12	1620	8-16
529	4-12	1820	8-16
630	4-12	2020	8-16
720	4-13		



MEET OUR PARTNERS

